

## DS-7200HQHI-K2/A SERIES TURBO HD DVR

### Key Feature

- H.265 Pro+/H.265 Pro/H.265 video compression
- HDTVI/AHD/CVI/CVBS/IP video input
- Audio via coaxial cable
- Up to 12/24-ch IP camera inputs (up to 6 MP)
- Max. 800 m for 1080p and 1200 m for 720p HDTVI signal transmission
- Up to 10 TB capacity per HDD



### Compression and Recording

- H.265 Pro+ can be enabled to improve encoding efficiency and reduce data storage costs
- Full channel recording at up to 4 MP lite resolution

### Storage and Playback

- 2 SATA interfaces
- Smart search for efficient playback
- Support the third party cloud storage (Dropbox/Google Drive/Microsoft OneDrive)

### Smart Function

- Support multiple VCA (Video Content Analytics) events for both analog and smart IP cameras
- Support 4-ch line crossing detection and intrusion detection; DS-7216HQHI-K2 supports 1-ch sudden scene change detection

### Network & Ethernet Access

- Hik-Connect & DDNS (Dynamic Domain Name System) for easy network management
- Max. 48/96 Mbps incoming bandwidth and output bandwidth limit configurable




## Specification

| Model               | DS-7208HQHI-K2/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                          | DS-7216HQHI-K2/A   |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------|
| Recording           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                          |                    |
| Video compression   | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                          |                    |
| Encoding resolution | When 1080p lite mode is not enabled:<br>4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF<br>When 1080p Lite mode is enabled:<br>4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                          |                    |
| Frame rate          | Main stream:<br>When 1080p Lite mode not enabled:<br>For 4 MP stream access:<br>4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N)<br>For 3 MP stream access: 3 MP/1080p/720p/VGA/WD1/4CIF/CIF@15fps<br>For 1080p stream access:<br>1080p/720p@15fps; VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)<br>For 720p stream access: 720p/VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)<br>When 1080p Lite mode enabled:<br>4 MP lite/3 MP@15fps; 1080p lite/720p lite/VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)<br><br>Sub-stream:<br>WD1/4CIF@12fps; CIF@25fps (P)/30fps (N) |                                                                                                                          |                    |
| Video bit rate      | 32 Kbps to 6 Mbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                          |                    |
| Dual stream         | Support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                          |                    |
| Stream type         | Video, Video & Audio                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                          |                    |
| Audio compression   | G.711u                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                          |                    |
| Audio bit rate      | 64 Kbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                          |                    |
| Video and Audio     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                          |                    |
| IP video input      | 4-ch (up to 12-ch)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                          | 8-ch (up to 24-ch) |
|                     | Up to 6 MP resolution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                          |                    |
|                     | Support H.265+/H.265/H.264+/H.264 IP cameras                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                          |                    |
| Analog video input  | 8-ch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                          | 16-ch              |
|                     | BNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                          |                    |
| HDTVI input         | 4 MP, 3 MP, 1080p30, 1080p25, 720p60, 720p50, 720p30, 720p25<br>*: The 3 MP signal input is only available for channel 1/2 of DS-7208HQHI-K2/A, and for channel 1/2/3/4 of DS-7216HQHI-K2/A.                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                          |                    |
| AHD input           | 4 MP, 1080p25, 1080p30, 720p25, 720p30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                          |                    |
| HDCVI input         | 4 MP, 1080p25, 1080p30, 720p25, 720p30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                          |                    |
| CVBS input          | PAL/NTSC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                          |                    |
| CVBS output         | 1-ch, BNC (1.0 Vp-p, 75 Ω),<br>resolution: PAL: 704 × 576, NTSC: 704 × 480                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                          |                    |
| VGA output          | 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                          |                    |
| HDMI output         | 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1-ch, 4K (3840 × 2160)/30Hz, 2K (2560 × 1440)/60Hz, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz |                    |

|                                  |                                                                                         |                                                            |
|----------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------|
| <b>Audio input</b>               | 4-ch, RCA (2.0 Vp-p, 1 K $\Omega$ )                                                     |                                                            |
| <b>Audio output</b>              | 1-ch, RCA (Linear, 1 K $\Omega$ )                                                       |                                                            |
| <b>Two-way audio</b>             | 1-ch, RCA (2.0 Vp-p, 1 K $\Omega$ ) (using the first audio input)                       |                                                            |
| <b>Synchronous playback</b>      | 8-ch                                                                                    | 16-ch                                                      |
| <b>Network</b>                   |                                                                                         |                                                            |
| <b>Remote connection</b>         | 64                                                                                      | 128                                                        |
| <b>Network protocol</b>          | TCP/IP, PPPoE, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP™, HTTPS, ONVIF |                                                            |
| <b>Network interface</b>         | 1,<br>RJ45 10M/100M self-adaptive Ethernet interface                                    | 1,<br>RJ45 10M/100M/1000M self-adaptive Ethernet interface |
| <b>Auxiliary interface</b>       |                                                                                         |                                                            |
| <b>SATA</b>                      | 2 SATA interfaces                                                                       |                                                            |
| <b>Capacity</b>                  | Up to 10 TB capacity for each disk                                                      |                                                            |
| <b>Serial interface</b>          | RS-485 (half-duplex)                                                                    |                                                            |
| <b>USB interface</b>             | 2 × USB 2.0                                                                             | Front panel: 1 × USB 2.0<br>Rear panel: 1 × USB 3.0        |
| <b>Alarm in/out</b>              | 8/4                                                                                     | 16/4                                                       |
| <b>General</b>                   |                                                                                         |                                                            |
| <b>Power supply</b>              | 12 VDC, 3.33 A                                                                          | 12 VDC, 5 A                                                |
| <b>Consumption (without HDD)</b> | ≤ 7.5 W                                                                                 | ≤ 25 W                                                     |
| <b>Working temperature</b>       | -10 °C to +55 °C (+14 °F to +131 °F)                                                    |                                                            |
| <b>Working humidity</b>          | 10% to 90%                                                                              |                                                            |
| <b>Dimension (W × D × H)</b>     | 380 × 320 × 48 mm (15.0 × 12.6 × 1.9 inch)                                              |                                                            |
| <b>Weight (without HDD)</b>      | ≤ 1.78 kg (3.9 lb)                                                                      | ≤ 2 kg (4.4 lb)                                            |

## Physical Interface



\*: The rear panel of DS-7208HQHI-K2/A provides 8 video input interfaces.

| No. | Description              | No. | Description             |
|-----|--------------------------|-----|-------------------------|
| 1   | VIDEO IN                 | 7   | LAN Network Interface   |
| 2   | USB Interface            | 8   | AUDIO IN, RCA Connector |
| 3   | VIDEO OUT                | 9   | RS-485 Serial Interface |
| 4   | HDMI Interface           | 10  | Power Input             |
| 5   | VGA Interface            | 11  | Power Switch            |
| 6   | AUDIO OUT, RCA Connector | 12  | VIDEO OUT               |
|     |                          | 13  | GND                     |

## Available Model

DS-7208HQHI-K2/A, DS-7216HQHI-K2/A

Distributed by



### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahirvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com